General Purpose Transistors

PNP Silicon

COLLECTOR
3

1
BASE

2
EMITTER

MMBT2907LT1
MMBT2907ALT1*

***Motorola Preferred Device**

CASE 318–08, STYLE 6
SOT–23 (TO–236AB)

MAXIMUM RATINGS

Rating	Symbol	2907	2907A	Unit
Collector–Emitter Voltage	V_{CEO}	−40	−60	Vdc
Collector–Base Voltage	V_{CBO}	−60		Vdc
Emitter–Base Voltage	V_{EBO}	−5.0		Vdc
Collector Current — Continuous	I_C	−600		mAdc

THERMAL CHARACTERISTICS

Characteristic	Symbol	Max	Unit
Total Device Dissipation FR–5 Board[1] $T_A = 25°C$ Derate above 25°C	P_D	225 1.8	mW mW/°C
Thermal Resistance, Junction to Ambient	$R_{\theta JA}$	556	°C/W
Total Device Dissipation Alumina Substrate,[2] $T_A = 25°C$ Derate above 25°C	P_D	300 2.4	mW mW/°C
Thermal Resistance, Junction to Ambient	$R_{\theta JA}$	417	°C/W
Junction and Storage Temperature	T_J, T_{stg}	−55 to +150	°C

DEVICE MARKING

MMBT2907LT1 = M2B; MMBT2907ALT1 = 2F

ELECTRICAL CHARACTERISTICS ($T_A = 25°C$ unless otherwise noted)

Characteristic		Symbol	Min	Max	Unit
OFF CHARACTERISTICS					
Collector–Emitter Breakdown Voltage[3] ($I_C = -10$ mAdc, $I_B = 0$) MMBT2907 MMBT2907A		$V_{(BR)CEO}$	−40 −60	— —	Vdc
Collector–Base Breakdown Voltage ($I_C = -10$ μAdc, $I_E = 0$)		$V_{(BR)CBO}$	−60	—	Vdc
Emitter–Base Breakdown Voltage ($I_E = -10$ μAdc, $I_C = 0$)		$V_{(BR)EBO}$	−5.0	—	Vdc
Collector Cutoff Current ($V_{CE} = -30$ Vdc, $V_{BE(off)} = -0.5$ Vdc)		I_{CEX}	—	−50	nAdc
Collector Cutoff Current ($V_{CB} = -50$ Vdc, $I_E = 0$) MMBT2907 MMBT2907A ($V_{CB} = -50$ Vdc, $I_E = 0$, $T_A = 125°C$) MMBT2907 MMBT2907A		I_{CBO}	— — — —	−0.020 −0.010 −20 −10	μAdc
Base Current ($V_{CE} = -30$ Vdc, $V_{EB(off)} = -0.5$ Vdc)		I_B	—	−50	nAdc

1. FR–5 = 1.0 × 0.75 × 0.062 in.
2. Alumina = 0.4 × 0.3 × 0.024 in. 99.5% alumina.
3. Pulse Test: Pulse Width ≤ 300 μs, Duty Cycle ≤ 2.0%.

Thermal Clad is a trademark of the Bergquist Company.

Preferred devices are Motorola recommended choices for future use and best overall value.

MOTOROLA

ELECTRICAL CHARACTERISTICS (T_A = 25°C unless otherwise noted) (Continued)

Characteristic		Symbol	Min	Max	Unit
ON CHARACTERISTICS					
DC Current Gain		h_{FE}			—
(I_C = −0.1 mAdc, V_{CE} = −10 Vdc) MMBT2907			35	—	
MMBT2907A			75	—	
(I_C = −1.0 mAdc, V_{CE} = −10 Vdc) MMBT2907			50	—	
MMBT2907A			100	—	
(I_C = −10 mAdc, V_{CE} = −10 Vdc) MMBT2907			75	—	
MMBT2907A			100	—	
(I_C = −150 mAdc, V_{CE} = −10 Vdc) (3) MMBT2907			—	—	
MMBT2907A			100	300	
(I_C = −500 mAdc, V_{CE} = −10 Vdc) (3) MMBT2907			30	—	
MMBT2907A			50	—	
Collector−Emitter Saturation Voltage (3)		$V_{CE(sat)}$			Vdc
(I_C = −150 mAdc, I_B = −15 mAdc)			—	−0.4	
(I_C = −500 mAdc, I_B = −50 mAdc)			—	−1.6	
Base−Emitter Saturation Voltage (3)		$V_{BE(sat)}$			Vdc
(I_C = −150 mAdc, I_B = −15 mAdc)			—	−1.3	
(I_C = −500 mAdc, I_B = −50 mAdc)			—	−2.6	
SMALL−SIGNAL CHARACTERISTICS					
Current−Gain — Bandwidth Product (3),(4)		f_T			MHz
(I_C = −50 mAdc, V_{CE} = −20 Vdc, f = 100 MHz)			200	—	
Output Capacitance		C_{obo}			pF
(V_{CB} = −10 Vdc, I_E = 0, f = 1.0 MHz)			—	8.0	
Input Capacitance		C_{ibo}			pF
(V_{EB} = −2.0 Vdc, I_C = 0, f = 1.0 MHz)			—	30	

SWITCHING CHARACTERISTICS

		Symbol	Min	Max	Unit
Turn−On Time	(V_{CC} = −30 Vdc, I_C = −150 mAdc, I_{B1} = −15 mAdc)	t_{on}	—	45	ns
Delay Time		t_d	—	10	
Rise Time		t_r	—	40	
Turn−Off Time	(V_{CC} = −6.0 Vdc, I_C = −150 mAdc, I_{B1} = I_{B2} = −15 mAdc)	t_{off}	—	100	ns
Storage Time		t_s	—	80	
Fall Time		t_f	—	30	

3. Pulse Test: Pulse Width ≤ 300 µs, Duty Cycle ≤ 2.0%.
4. f_T is defined as the frequency at which $|h_{fe}|$ extrapolates to unity.


Figure 1. Delay and Rise Time Test Circuit

Figure 2. Storage and Fall Time Test Circuit

TYPICAL CHARACTERISTICS

Figure 3. DC Current Gain

Figure 4. Collector Saturation Region

**Figure 5. Turn–On Time**

Figure 6. Turn–Off Time

TYPICAL SMALL−SIGNAL CHARACTERISTICS
NOISE FIGURE
V_{CE} = 10 Vdc, T_A = 25°C


Figure 7. Frequency Effects

Figure 8. Source Resistance Effects


Figure 9. Capacitances

Figure 10. Current−Gain — Bandwidth Product

**Figure 11. "On" Voltage**

Figure 12. Temperature Coefficients

INFORMATION FOR USING THE SOT–23 SURFACE MOUNT PACKAGE

MINIMUM RECOMMENDED FOOTPRINT FOR SURFACE MOUNTED APPLICATIONS

Surface mount board layout is a critical portion of the total design. The footprint for the semiconductor packages must be the correct size to insure proper solder connection interface between the board and the package. With the correct pad geometry, the packages will self align when subjected to a solder reflow process.

$$\frac{0.037}{0.95} \qquad \frac{0.037}{0.95}$$

$$\frac{0.079}{2.0}$$

$$\frac{0.035}{0.9}$$

$$\frac{0.031}{0.8} \qquad \left(\frac{inches}{mm}\right)$$

SOT–23

SOT–23 POWER DISSIPATION

The power dissipation of the SOT–23 is a function of the pad size. This can vary from the minimum pad size for soldering to a pad size given for maximum power dissipation. Power dissipation for a surface mount device is determined by $T_{J(max)}$, the maximum rated junction temperature of the die, $R_{\theta JA}$, the thermal resistance from the device junction to ambient, and the operating temperature, T_A. Using the values provided on the data sheet for the SOT–23 package, P_D can be calculated as follows:

$$P_D = \frac{T_{J(max)} - T_A}{R_{\theta JA}}$$

The values for the equation are found in the maximum ratings table on the data sheet. Substituting these values into the equation for an ambient temperature T_A of 25°C, one can calculate the power dissipation of the device which in this case is 225 milliwatts.

$$P_D = \frac{150°C - 25°C}{556°C/W} = 225 \text{ milliwatts}$$

The 556°C/W for the SOT–23 package assumes the use of the recommended footprint on a glass epoxy printed circuit board to achieve a power dissipation of 225 milliwatts. There are other alternatives to achieving higher power dissipation from the SOT–23 package. Another alternative would be to use a ceramic substrate or an aluminum core board such as Thermal Clad™. Using a board material such as Thermal Clad, an aluminum core board, the power dissipation can be doubled using the same footprint.

SOLDERING PRECAUTIONS

The melting temperature of solder is higher than the rated temperature of the device. When the entire device is heated to a high temperature, failure to complete soldering within a short time could result in device failure. Therefore, the following items should always be observed in order to minimize the thermal stress to which the devices are subjected.

- Always preheat the device.
- The delta temperature between the preheat and soldering should be 100°C or less.*
- When preheating and soldering, the temperature of the leads and the case must not exceed the maximum temperature ratings as shown on the data sheet. When using infrared heating with the reflow soldering method, the difference shall be a maximum of 10°C.
- The soldering temperature and time shall not exceed 260°C for more than 10 seconds.
- When shifting from preheating to soldering, the maximum temperature gradient shall be 5°C or less.
- After soldering has been completed, the device should be allowed to cool naturally for at least three minutes. Gradual cooling should be used as the use of forced cooling will increase the temperature gradient and result in latent failure due to mechanical stress.
- Mechanical stress or shock should not be applied during cooling.

* Soldering a device without preheating can cause excessive thermal shock and stress which can result in damage to the device.

PACKAGE DIMENSIONS

NOTES:
1. DIMENSIONING AND TOLERANCING PER ANSI Y14.5M, 1982.
2. CONTROLLING DIMENSION: INCH.
3. MAXIMUM LEAD THICKNESS INCLUDES LEAD FINISH THICKNESS. MINIMUM LEAD THICKNESS IS THE MINIMUM THICKNESS OF BASE MATERIAL.

DIM	INCHES		MILLIMETERS	
	MIN	MAX	MIN	MAX
A	0.1102	0.1197	2.80	3.04
B	0.0472	0.0551	1.20	1.40
C	0.0350	0.0440	0.89	1.11
D	0.0150	0.0200	0.37	0.50
G	0.0701	0.0807	1.78	2.04
H	0.0005	0.0040	0.013	0.100
J	0.0034	0.0070	0.085	0.177
K	0.0180	0.0236	0.45	0.60
L	0.0350	0.0401	0.89	1.02
S	0.0830	0.0984	2.10	2.50
V	0.0177	0.0236	0.45	0.60

STYLE 6:
PIN 1. BASE
2. EMITTER
3. COLLECTOR

CASE 318–08
SOT–23 (TO–236AB)
ISSUE AE

MOTOROLA

◊