


# MICRO ELECTRONICS

**MGB31TAH**

**ULTRA HIGH  
BRIGHTNESS  
GREEN LED LAMP**

## DESCRIPTION

MGB31TAH is an AlGaInP super green LED lamp encapsulated in a 3mm diameter, clear transparent lens.



\* All dimension in mm (inch)  
\* No scale  
\* Tol. : +/- 0.3mm

## ABSOLUTE MAXIMUM RATINGS

Power Dissipation @ Ta=25°C	90mW
Forward Current, DC (IF)	30mA
Reverse Voltage	5V
Operating Temperature Range	-20 to +80°C
Storage Temperature Range	-30 to +100°C
Lead Soldering Temperature (1/16" from body)	260°C for 5 sec.

## ELECTRO-OPTICAL CHARACTERISTICS (Ta=25°C)

PARAMETER	SYMBOL	MIN	TYP	MAX	UNIT	CONDITIONS
Forward Voltage	VF		2.1	3.0	V	IF=20mA
Reverse Breakdown Voltage	BVR	5			V	IR=100μA
Luminous Intensity	IV	450	700		mcd	IF=20mA
Wavelength	λD		572		nm	IF=20mA
Spectral Line Half Width	Δλ		15		nm	IF=20mA
Viewing Angle	2θ 1/2		40		degree	IF=20mA

MICRO ELECTRONICS LTD.

38, Hung To Road, Microtron Bulding, Kwun Tong, Kowloon, Hong Kong.  
Kwun Tong P.O. Box 69477 Hong Kong. Fax No. 2341 0321 Telex:43510 Micro Hx. Tel: 2343 0181-5

Rev. A