

DESCRIPTION


FA01220A is RF Hybrid IC designed for 1.5GHz band small size handheld radio.

FEATURES

- Low voltage 3.5V
- High gain 20.5B
- High efficiency 50%
- High power 30.5dBm

APPLICATION

PDC1.5GHz



ABSOLUTE MAXIMUM RATINGS





Symbol	Parameter	Condition	Ratings	Unit
V _D	Drain voltage	T _c =25°C, P _o 30.5dBm	4.5	V
P _{in}	Input power	T _c =25°C, Z _G =Z _L =50	15	dBm
T _{c(op)}	Operating case temp		-20 to +85	°C
T _{stg}	Storage temp		-30 to +90	°C

Note: Each maximum ratings is guaranteed independently and duty=1/3 operation. T=20 msec


ELECTRICAL CHARACTERISTICS(T_a=25°C)

Symbol	Parameter	Test conditions	Limits			Unit
			Min	Typ	Max	
f	Frequency		1429	-	1453	MHz
P _{in}	Input power		-	(7)	10	dBm
I _{dt}	Total drain current	P _o =30.5dBm V _{D1} =V _{D2} =3.5V	-	640	720	mA
in	Return loss	V _{G1,2} =-2.5V	-	-	-6	dB
ACP50	±50kHz adjacent channel power	Z _G =Z _L =50 (/4DQPSK)	-	-	-47	dBc
ACP100	±100kHz adjacent channel power		-	-	-62	dBc
2f _o	2nd harmonics	Ditto	-	-	-30	dBc
3f _o	3rd harmonics	(CW)	-	-	-30	dBc

TYPICAL CHARACTERISTICS 1



TYPICAL CHARACTERISTICS 2



EQUIVALENT CIRCUIT

