## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

#### DESCRIPTION

The MH28D72KLG is 134217728 - word x 72-bit Double Data Rate(DDR) Synchronous DRAM mounted module.

This consists of 36 industry standard 64M x 4 DDR Synchronous DRAMs in TSOP with SSTL\_2 interface which achieves very high speed data rate up to 133MHz.

This socket-type memory module is suitable for main memory in computer systems and easy to interchange or add modules.


#### **FEATURES**

Type name	Max. Frequency	CLK Access Time [component level]
MH28D72KLG-75	133MHz	± 0.75ns
MH28D72KLG-10	100MHz	± 0.8ns

- Utilizes industry standard 64M X 4 DDR Synchronous DRAMs in TSOP package, industry standard Registered Buffer in TSSOP package, and industry standard PLL in TSSOP package.
- Vdd=Vddq=2.5v ±0.2V
- Double data rate architecture; two data transfers per clock cycle
- Bidirectional, data strobe (DQS) is transmitted/received with data
- Differential clock inputs (CLK and /CLK)
- data referenced to both edges of DQS
- /CAS latency 2.0/2.5 (programmable) Burst length- 2/4/8 (programmable)
- Auto precharge / All bank precharge controlled by A10
- 8192 refresh cycles /64ms
- Auto refresh and Self refresh
- Row address A0-12 / Column address A0-9,11
- SSTL\_2 Interface
- Module 2bank Configration
- Burst Type sequential/interleave(programmable)
- Commands entered on each positive CLK edge

#### **APPLICATION**

Main memory unit for PC, PC server, Server, W S.



# MH28D72KLG-75,-10

PIN

NAME

NC

VDD

DQS15

DQ54

DQ55

VDDQ

NC

DQ60

DQ61

VSS

DQS16

DQ62

DQ63

VDDQ

SA0

SA1

SA2

VDDSPD

PIN

NO.

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

### **PIN CONFIGURATION**


PIN   PIN   PIN   PIN   PIN   PIN   PIN   PIN   NO.   NAME   NO.   NO.   NAME   NA	_					II IOOKAI		
1	PIN	PIN	PIN	PIN	PIN	PIN	PIN	PIN
2         DQ0         44         CB0         85         VDD         127         DQ29           3         VSS         45         CB1         86         DQS7         128         VDDQ           4         DQ1         46         VDD         87         DQ58         129         DQS12           5         DQS0         47         DQS8         88         DQ59         130         A3           6         DQ2         48         A0         89         VSS         131         DQ30           7         VDD         49         CB2         90         NC         132         VSS           8         DQ3         50         VSS         91         SDA         133         DQ31           9         NC         51         CB3         92         SCL         134         CB4           10         RESET         52         BA1         93         VSS         135         CB5           11         VSS         KEY         94         DQ4         136         VDDQ         138         /CK0           12         DQ8         53         DQ32         95         DQ5         137         CK0	NO.	NAME	NO.	NAME	NO.	NAME	NO.	NAME
3         VSS         45         CB1         86         DQS7         128         VDDQ           4         DQ1         46         VDD         87         DQ58         129         DQS12           5         DQS0         47         DQS8         88         DQ59         130         A3           6         DQ2         48         A0         89         VSS         131         DQ30           7         VDD         49         CB2         90         NC         132         VSS           8         DQ3         50         VSS         91         SDA         133         DQ31           9         NC         51         CB3         92         SCL         134         CB4           10         RESET         52         BA1         93         VSS         135         CB5           11         VSS         KEY         94         DQ4         136         VDDQ           12         DQ8         53         DQ32         95         DQ5         137         CK0           13         DQ9         54         VDDQ         96         VDDQ         138         /CK0           14	1	VREF	43	A1	84	DQ57	126	DQ28
4         DQ1         46         VDD         87         DQ58         129         DQS12           5         DQS0         47         DQS8         88         DQ59         130         A3           6         DQ2         48         A0         89         VSS         131         DQ30           7         VDD         49         CB2         90         NC         132         VSS           8         DQ3         50         VSS         91         SDA         133         DQ31           9         NC         51         CB3         92         SCL         134         CB4           10         RESET         52         BA1         93         VSS         135         CB5           11         VSS         KEY         94         DQ4         136         VDDQ           12         DQ8         53         DQ32         95         DQ5         137         CK0           13         DQ9         54         VDDQ         96         VDDQ         138         /CK0           14         DQS1         55         DQ33         97         DQS9         139         VSS           15	2	DQ0	44	CB0	85	VDD	127	DQ29
5         DQS0         47         DQS8         88         DQS9         130         A3           6         DQ2         48         A0         89         VSS         131         DQ30           7         VDD         49         CB2         90         NC         132         VSS           8         DQ3         50         VSS         91         SDA         133         DQ31           9         NC         51         CB3         92         SCL         134         CB4           10         RESET         52         BA1         93         VSS         135         CB5           11         VSS         KEY         94         DQ4         136         VDDQ           12         DQ8         53         DQ32         95         DQ5         137         CK0           13         DQ9         54         VDDQ         96         VDDQ         138         CK0           14         DQS1         55         DQ33         97         DQS9         139         VSS           15         VDDQ         56         DQS4         98         DQ6         140         DQS17           16	3	VSS	45	CB1	86	DQS7	128	VDDQ
6         DQ2         48         A0         89         VSS         131         DQ30           7         VDD         49         CB2         90         NC         132         VSS           8         DQ3         50         VSS         91         SDA         133         DQ31           9         NC         51         CB3         92         SCL         134         CB4           10         RESET         52         BA1         93         VSS         135         CB5           11         VSS         KEY         94         DQ4         136         VDDQ           12         DQ8         53         DQ32         95         DQ5         137         CK0           13         DQ9         54         VDDQ         96         VDDQ         138         /CK0           14         DQS1         55         DQ33         97         DQS9         139         VSS           15         VDDQ         56         DQS4         98         DQ6         140         DQS17           16         NC         57         DQ34         99         DQ7         141         A10           17	4	DQ1	46	VDD	87	DQ58	129	DQS12
7         VDD         49         CB2         90         NC         132         VSS           8         DQ3         50         VSS         91         SDA         133         DQ31           9         NC         51         CB3         92         SCL         134         CB4           10         RESET         52         BA1         93         VSS         135         CB5           11         VSS         KEY         94         DQ4         136         VDDQ           12         DQ8         53         DQ32         95         DQ5         137         CK0           13         DQ9         54         VDDQ         96         VDDQ         138         /CK0           14         DQS1         55         DQ33         97         DQS9         139         VSS           15         VDDQ         56         DQS4         98         DQ6         140         DQS17           16         NC         57         DQ34         99         DQ7         141         A10           17         NC         58         VSS         100         VSS         142         CB6           18	5	DQS0	47	DQS8	88	DQ59	130	A3
8         DQ3         50         VSS         91         SDA         133         DQ31           9         NC         51         CB3         92         SCL         134         CB4           10         RESET         52         BA1         93         VSS         135         CB5           11         VSS         KEY         94         DQ4         136         VDDQ           12         DQ8         53         DQ32         95         DQ5         137         CK0           13         DQ9         54         VDDQ         96         VDDQ         138         /CK0           14         DQS1         55         DQ33         97         DQS9         139         VSS           15         VDDQ         56         DQS4         98         DQ6         140         DQS17           16         NC         57         DQ34         98         DQ6         140         DQS17           16         NC         57         DQ34         99         DQ7         141         A10         DQS17           17         NC         58         VSS         100         VSS         142         CB6	6	DQ2	48	A0	89	VSS	131	DQ30
9 NC 51 CB3 92 SCL 134 CB4 10 RESET 52 BA1 93 VSS 135 CB5 11 VSS KEY 94 DQ4 136 VDDQ 12 DQ8 53 DQ32 95 DQ5 137 CK0 13 DQ9 54 VDDQ 96 VDDQ 138 /CK0 14 DQS1 55 DQ33 97 DQS9 139 VSS 15 VDDQ 56 DQS4 98 DQ6 140 DQS17 16 NC 57 DQ34 99 DQ7 141 A10 17 NC 58 VSS 100 VSS 142 CB6 18 VSS 59 BA0 101 NC 143 VDDQ 19 DQ10 60 DQ35 102 NC 144 CB7 20 DQ11 61 DQ40 103 NC KEY 21 CKE0 62 VDDQ 104 VDDQ 145 VSS 22 VDDQ 63 /WE 105 DQ12 146 DQ36 23 DQ16 64 DQ41 106 DQ13 147 DQ37 24 DQ17 65 /CAS 107 DQS10 148 VDD 25 DQS2 66 VSS 108 VDD 149 DQS13 26 VSS 67 DQS5 109 DQ14 150 DQ38 27 A9 68 DQ42 110 DQ15 151 DQ39 28 DQ18 69 DQ43 111 CKE1 152 VSS 29 A7 70 VDD 112 VDDQ 153 DQ44 30 VDDQ 71 NC 113 NC 154 /RAS 31 DQ19 72 DQ48 114 DQ20 155 DQ45 33 DQ24 74 VSS 116 VSS 157 /S0 34 VSS 75 NC 117 DQS10 161 DQ46 38 VDD 79 DQ50 121 158 /S1 31 DQ24 74 VSS 116 VSS 157 /S0 33 DQ24 74 VSS 116 VSS 157 /S0 34 VSS 75 NC 117 DQS11 160 VSS 37 A4 78 DQS6 120 VDD 161 DQ22 162 DQ46 38 VDD 79 DQ50 121 DQ22 162 DQ47 39 DQ26 80 DQ51 122 A8 163 NC 40 DQ27 81 VSS 123 DQ23 164 VDDQ 41 A2 82 VDDID 124 VSS 165 DQ52	7	VDD	49	CB2	90	NC	132	VSS
No.   No.	8	DQ3	50	VSS	91	SDA	133	DQ31
11	9	NC	51	CB3	92	SCL	134	CB4
12 DQ8 53 DQ32 95 DQ5 137 CK0  13 DQ9 54 VDDQ 96 VDDQ 138 /CK0  14 DQS1 55 DQ33 97 DQS9 139 VSS  15 VDDQ 56 DQS4 98 DQ6 140 DQS17  16 NC 57 DQ34 99 DQ7 141 A10  17 NC 58 VSS 100 VSS 142 CB6  18 VSS 59 BA0 101 NC 143 VDDQ  19 DQ10 60 DQ35 102 NC 144 CB7  20 DQ11 61 DQ40 103 NC KEY  21 CKE0 62 VDDQ 104 VDDQ 145 VSS  22 VDDQ 63 /WE 105 DQ12 146 DQ36  23 DQ16 64 DQ41 106 DQ13 147 DQ37  24 DQ17 65 /CAS 107 DQS10 148 VDD  25 DQS2 66 VSS 108 VDD 149 DQS13  26 VSS 67 DQS5 109 DQ14 150 DQ38  27 A9 68 DQ42 110 DQ15 151 DQ39  28 DQ18 69 DQ43 111 CKE1 152 VSS  29 A7 70 VDD 112 VDDQ 153 DQ44  30 VDDQ 71 NC 113 NC 154 /RAS  31 DQ19 72 DQ48 114 DQ20 155 DQ45  32 A5 73 DQ49 115 A12 156 VDDQ  33 DQ24 74 VSS 116 VSS 157 /S0  34 VSS 75 NC 117 DQ21 158 /S1  35 DQ25 76 NC 118 A11 159 DQS14  36 DQ33 77 VDDQ 119 DQS11 160 VSS  37 A4 78 DQ56 120 VDD 161 DQ22 162 DQ47  39 DQ26 80 DQ51 122 A8 163 NC  40 DQ27 81 VSS 123 DQ23 164 VDDQ  41 A2 82 VDDID 124 VSS 165 DQ52	10	RESET	52	BA1	93	VSS	135	CB5
13         DQ9         54         VDDQ         96         VDDQ         138         /CK0           14         DQS1         55         DQ33         97         DQS9         139         VSS           15         VDDQ         56         DQS4         98         DQ6         140         DQS17           16         NC         57         DQ34         99         DQ7         141         A10           17         NC         58         VSS         100         VSS         142         CB6           18         VSS         59         BA0         101         NC         143         VDDQ           19         DQ10         60         DQ35         102         NC         144         CB7           20         DQ11         61         DQ40         103         NC         KEY           21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37	11	VSS	ŀ	KEY	94	DQ4	136	VDDQ
13         DQ9         54         VDDQ         96         VDDQ         138         /CK0           14         DQS1         55         DQ33         97         DQS9         139         VSS           15         VDDQ         56         DQS4         98         DQ6         140         DQS17           16         NC         57         DQ34         99         DQ7         141         A10           17         NC         58         VSS         100         VSS         142         CB6           18         VSS         59         BA0         101         NC         143         VDDQ           19         DQ10         60         DQ35         102         NC         144         CB7           20         DQ11         61         DQ40         103         NC         KEY           21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37	12		53	DQ32	95		137	
14         DQS1         55         DQ33         97         DQS9         139         VSS           15         VDDQ         56         DQS4         98         DQ6         140         DQS17           16         NC         57         DQ34         99         DQ7         141         A10           17         NC         58         VSS         100         VSS         142         CB6           18         VSS         59         BA0         101         NC         143         VDDQ           19         DQ10         60         DQ35         102         NC         144         CB7           20         DQ11         61         DQ40         103         NC         KEY           21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37           24         DQ17         65         /CAS         107         DQS10         148         VDD	13	DQ9	54	VDDQ	96		138	
15         VDDQ         56         DQS4         98         DQ6         140         DQS17           16         NC         57         DQ34         99         DQ7         141         A10           17         NC         58         VSS         100         VSS         142         CB6           18         VSS         59         BA0         101         NC         143         VDDQ           19         DQ10         60         DQ35         102         NC         144         CB7           20         DQ11         61         DQ40         103         NC         KEY           21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37           24         DQ17         65         /CAS         107         DQS10         148         VDD           25         DQS2         66         VSS         108         VDD         149         DQS13	14		55		97		139	
16         NC         57         DQ34         99         DQ7         141         A10           17         NC         58         VSS         100         VSS         142         CB6           18         VSS         59         BA0         101         NC         143         VDDQ           19         DQ10         60         DQ35         102         NC         144         CB7           20         DQ11         61         DQ40         103         NC         KEY           21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37           24         DQ17         65         /CAS         107         DQS10         148         VDD           25         DQ32         66         VSS         108         VDD         149         DQS13           26         VSS         67         DQ35         109         DQ14         150         DQ38	15		56		98	DQ6	140	
17         NC         58         VSS         100         VSS         142         CB6           18         VSS         59         BAO         101         NC         143         VDDQ           19         DQ10         60         DQ35         102         NC         144         CB7           20         DQ11         61         DQ40         103         NC         KEY           21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37           24         DQ17         65         /CAS         107         DQS10         148         VDD           25         DQS2         66         VSS         108         VDD         149         DQS13           26         VSS         67         DQS5         109         DQ14         150         DQ38	16		57		99		141	A10
18         VSS         59         BAO         101         NC         143         VDDQ           19         DQ10         60         DQ35         102         NC         144         CB7           20         DQ11         61         DQ40         103         NC         KEY           21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37           24         DQ17         65         /CAS         107         DQS10         148         VDD           25         DQS2         66         VSS         108         VDD         149         DQS13           26         VSS         67         DQS5         109         DQ14         150         DQ38           27         A9         68         DQ42         110         DQ15         151         DQ39           28         DQ18         69         DQ43         111         CKE1         152         VSS	17	NC	58		100		142	
19         DQ10         60         DQ35         102         NC         144         CB7           20         DQ11         61         DQ40         103         NC         KEY           21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37           24         DQ17         65         /CAS         107         DQS10         148         VDD           25         DQS2         66         VSS         108         VDD         149         DQS13           26         VSS         67         DQS5         109         DQ14         150         DQ38           27         A9         68         DQ42         110         DQ15         151         DQ39           28         DQ18         69         DQ43         111         CKE1         152         VSS           29         A7         70         VDD         112         VDDQ         153         DQ44	18	VSS	59		101		143	
20         DQ11         61         DQ40         103         NC         KEY           21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37           24         DQ17         65         /CAS         107         DQS10         148         VDD           25         DQS2         66         VSS         108         VDD         149         DQS13           26         VSS         67         DQS5         109         DQ14         150         DQ38           27         A9         68         DQ42         110         DQ15         151         DQ39           28         DQ18         69         DQ43         111         CKE1         152         VSS           29         A7         70         VDD         112         VDDQ         153         DQ44           30         VDDQ         71         NC         113         NC         154         /RAS	19		60		102	NC	144	
21         CKE0         62         VDDQ         104         VDDQ         145         VSS           22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37           24         DQ17         65         /CAS         107         DQS10         148         VDD           25         DQS2         66         VSS         108         VDD         149         DQS13           26         VSS         67         DQS5         109         DQ14         150         DQ38           27         A9         68         DQ42         110         DQ15         151         DQ39           28         DQ18         69         DQ43         111         CKE1         152         VSS           29         A7         70         VDD         112         VDDQ         153         DQ44           30         VDDQ         71         NC         113         NC         154         /RAS           31         DQ19         72         DQ48         114         DQ20         155 <td< td=""><td>20</td><td></td><td>61</td><td></td><td>103</td><td>NC</td><td></td><td></td></td<>	20		61		103	NC		
22         VDDQ         63         /WE         105         DQ12         146         DQ36           23         DQ16         64         DQ41         106         DQ13         147         DQ37           24         DQ17         65         /CAS         107         DQS10         148         VDD           25         DQS2         66         VSS         108         VDD         149         DQS13           26         VSS         67         DQS5         109         DQ14         150         DQ38           27         A9         68         DQ42         110         DQ15         151         DQ39           28         DQ18         69         DQ43         111         CKE1         152         VSS           29         A7         70         VDD         112         VDDQ         153         DQ44           30         VDDQ         71         NC         113         NC         154         /RAS           31         DQ19         72         DQ48         114         DQ20         155         DQ45           32         A5         73         DQ49         115         A12         156         V	21		62		104	VDDQ	145	VSS
24         DQ17         65         /CAS         107         DQS10         148         VDD           25         DQS2         66         VSS         108         VDD         149         DQS13           26         VSS         67         DQS5         109         DQ14         150         DQ38           27         A9         68         DQ42         110         DQ15         151         DQ39           28         DQ18         69         DQ43         111         CKE1         152         VSS           29         A7         70         VDD         112         VDDQ         153         DQ44           30         VDDQ         71         NC         113         NC         154         /RAS           31         DQ19         72         DQ48         114         DQ20         155         DQ45           32         A5         73         DQ49         115         A12         156         VDDQ           33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1 <td>22</td> <td>VDDQ</td> <td>63</td> <td>/WE</td> <td>105</td> <td>DQ12</td> <td>146</td> <td></td>	22	VDDQ	63	/WE	105	DQ12	146	
25         DQS2         66         VSS         108         VDD         149         DQS13           26         VSS         67         DQS5         109         DQ14         150         DQ38           27         A9         68         DQ42         110         DQ15         151         DQ39           28         DQ18         69         DQ43         111         CKE1         152         VSS           29         A7         70         VDD         112         VDDQ         153         DQ44           30         VDDQ         71         NC         113         NC         154         /RAS           31         DQ19         72         DQ48         114         DQ20         155         DQ45           32         A5         73         DQ49         115         A12         156         VDDQ           33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14	23	DQ16	64	DQ41	106	DQ13	147	DQ37
26         VSS         67         DQS5         109         DQ14         150         DQ38           27         A9         68         DQ42         110         DQ15         151         DQ39           28         DQ18         69         DQ43         111         CKE1         152         VSS           29         A7         70         VDD         112         VDDQ         153         DQ44           30         VDDQ         71         NC         113         NC         154         /RAS           31         DQ19         72         DQ48         114         DQ20         155         DQ45           32         A5         73         DQ49         115         A12         156         VDDQ           33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS <td>24</td> <td>DQ17</td> <td>65</td> <td>/CAS</td> <td>107</td> <td>DQS10</td> <td>148</td> <td>VDD</td>	24	DQ17	65	/CAS	107	DQS10	148	VDD
27         A9         68         DQ42         110         DQ15         151         DQ39           28         DQ18         69         DQ43         111         CKE1         152         VSS           29         A7         70         VDD         112         VDDQ         153         DQ44           30         VDDQ         71         NC         113         NC         154         /RAS           31         DQ19         72         DQ48         114         DQ20         155         DQ45           32         A5         73         DQ49         115         A12         156         VDDQ           33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46	25	DQS2	66	VSS	108		149	DQS13
28         DQ18         69         DQ43         111         CKE1         152         VSS           29         A7         70         VDD         112         VDDQ         153         DQ44           30         VDDQ         71         NC         113         NC         154         /RAS           31         DQ19         72         DQ48         114         DQ20         155         DQ45           32         A5         73         DQ49         115         A12         156         VDDQ           33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46           38         VDD         79         DQ50         121         DQ22         162         DQ47	26	VSS	67	DQS5	109	DQ14	150	DQ38
29         A7         70         VDD         112         VDDQ         153         DQ44           30         VDDQ         71         NC         113         NC         154         /RAS           31         DQ19         72         DQ48         114         DQ20         155         DQ45           32         A5         73         DQ49         115         A12         156         VDDQ           33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46           38         VDD         79         DQ50         121         DQ22         162         DQ47           39         DQ26         80         DQ51         122         A8         163         NC	27	A9	68	DQ42	110	DQ15	151	DQ39
30 VDDQ 71 NC 113 NC 154 /RAS 31 DQ19 72 DQ48 114 DQ20 155 DQ45 32 A5 73 DQ49 115 A12 156 VDDQ 33 DQ24 74 VSS 116 VSS 157 /S0 34 VSS 75 NC 117 DQ21 158 /S1 35 DQ25 76 NC 118 A11 159 DQS14 36 DQS3 77 VDDQ 119 DQS11 160 VSS 37 A4 78 DQS6 120 VDD 161 DQ46 38 VDD 79 DQ50 121 DQ22 162 DQ47 39 DQ26 80 DQ51 122 A8 163 NC 40 DQ27 81 VSS 123 DQ23 164 VDDQ 41 A2 82 VDDID 124 VSS 165 DQ52	28	DQ18	69	DQ43	111		152	
30         VDDQ         71         NC         113         NC         154         /RAS           31         DQ19         72         DQ48         114         DQ20         155         DQ45           32         A5         73         DQ49         115         A12         156         VDDQ           33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46           38         VDD         79         DQ50         121         DQ22         162         DQ47           39         DQ26         80         DQ51         122         A8         163         NC           40         DQ27         81         VSS         123         DQ23         164         VDDQ	29	A7	70	VDD	112	VDDQ	153	DQ44
31         DQ19         72         DQ48         114         DQ20         155         DQ45           32         A5         73         DQ49         115         A12         156         VDDQ           33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46           38         VDD         79         DQ50         121         DQ22         162         DQ47           39         DQ26         80         DQ51         122         A8         163         NC           40         DQ27         81         VSS         123         DQ23         164         VDDQ           41         A2         82         VDDID         124         VSS         165         DQ52 <td>30</td> <td></td> <td>71</td> <td>NC</td> <td>113</td> <td>NC</td> <td>154</td> <td>/RAS</td>	30		71	NC	113	NC	154	/RAS
32         A5         73         DQ49         115         A12         156         VDDQ           33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46           38         VDD         79         DQ50         121         DQ22         162         DQ47           39         DQ26         80         DQ51         122         A8         163         NC           40         DQ27         81         VSS         123         DQ23         164         VDDQ           41         A2         82         VDDID         124         VSS         165         DQ52	31	DQ19	72	DQ48	114	DQ20	155	
33         DQ24         74         VSS         116         VSS         157         /S0           34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46           38         VDD         79         DQ50         121         DQ22         162         DQ47           39         DQ26         80         DQ51         122         A8         163         NC           40         DQ27         81         VSS         123         DQ23         164         VDDQ           41         A2         82         VDDID         124         VSS         165         DQ52	32	A5	73		115		156	
34         VSS         75         NC         117         DQ21         158         /S1           35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46           38         VDD         79         DQ50         121         DQ22         162         DQ47           39         DQ26         80         DQ51         122         A8         163         NC           40         DQ27         81         VSS         123         DQ23         164         VDDQ           41         A2         82         VDDID         124         VSS         165         DQ52	33	DQ24	74	VSS	116	VSS	157	/S0
35         DQ25         76         NC         118         A11         159         DQS14           36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46           38         VDD         79         DQ50         121         DQ22         162         DQ47           39         DQ26         80         DQ51         122         A8         163         NC           40         DQ27         81         VSS         123         DQ23         164         VDDQ           41         A2         82         VDDID         124         VSS         165         DQ52	34		75	NC	117		158	/S1
36         DQS3         77         VDDQ         119         DQS11         160         VSS           37         A4         78         DQS6         120         VDD         161         DQ46           38         VDD         79         DQ50         121         DQ22         162         DQ47           39         DQ26         80         DQ51         122         A8         163         NC           40         DQ27         81         VSS         123         DQ23         164         VDDQ           41         A2         82         VDDID         124         VSS         165         DQ52	35	DQ25	76	NC	118	A11	159	DQS14
38 VDD 79 DQ50 121 DQ22 162 DQ47 39 DQ26 80 DQ51 122 A8 163 NC 40 DQ27 81 VSS 123 DQ23 164 VDDQ 41 A2 82 VDDID 124 VSS 165 DQ52	36	DQS3	77	VDDQ	119	DQS11	160	VSS
39 DQ26 80 DQ51 122 A8 163 NC 40 DQ27 81 VSS 123 DQ23 164 VDDQ 41 A2 82 VDDID 124 VSS 165 DQ52	37	A4	78	DQS6	120	VDD	161	DQ46
40 DQ27 81 VSS 123 DQ23 164 VDDQ 41 A2 82 VDDID 124 VSS 165 DQ52	38	VDD	79	DQ50	121	DQ22	162	DQ47
40         DQ27         81         VSS         123         DQ23         164         VDDQ           41         A2         82         VDDID         124         VSS         165         DQ52	39	DQ26	80	DQ51	122	A8	163	
41 A2 82 VDDID 124 VSS 165 DQ52	40		81	VSS	123	DQ23	164	VDDQ
40 405	41		82		124		165	
	42	VSS	83	DQ56	125	A6	166	

NC: No Connect

## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **Block Diagram**



MIT-DS-0412-0.1



21.Mar.2001

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **PIN FUNCTION**

SYMBOL	TYPE	DESCRIPTION
CK0,/CK0	Input	Clock: CK0 and /CK0 are differential clock inputs. All address and control input signals are sampled on the crossing of the positive edge of CK0 and negative edge of /CK0. Output (read) data is referenced to the crossings of CK0 and /CK0 (both directions of crossing).
CKE0, CKE1	Input	Clock Enable: CKE0,1 controls SDRAM internal clock. When CKE0 is low, the internal clock for the following cycle is ceased. CKE0 is also used to select auto / self refresh. After self refresh mode is started, CKE0 becomes asynchronous input. Self refresh is maintained as long as CKE0 is low.
/S0, /S1	Input	Physical Bank Select: When /S0,1 is high, any command means No Operation.
/RAS, /CAS, /WE	Input	Combination of /RAS, /CAS, /WE defines basic commands.
A0-12	Input	A0-12 specify the Row / Column Address in conjunction with BA0,1. The Row Address is specified by A0-12. The Column Address is specified by A0-9,11. A10 is also used to indicate precharge option. When A10 is high at a read / write command, an auto precharge is performed. When A10 is high at a precharge command, all banks are precharged.
BA0,1	Input	Bank Address: BA0,1 specifies one of four banks in SDRAM to which a command is applied. BA0,1 must be set with ACT, PRE, READ, WRITE commands.
DQ 0-64 CB 0-7	Input / Output	Data Input/Output: Data bus
DQS0-17	Input / Output	Data Strobe: Output with read data, input with write data. Edge-aligned with read data, centered in write data. Used to capture write data.
Vdd, VddQ	Power Supply	Power Supply. Vdd and VddQ are connected on the module.
VddQ, VssQ	Power Supply	Power Supply. Vss and VssQ are connected on the module.
Vddspd	Power Supply	Power Supply for SPD
Vref	Input	SSTL_2 reference voltage.
RESET	Input	This signal is asynchronous and is driven low to the register in order to guarantee the register outputs are low.
SDA	Input / Output	This bidirectional pin is used to transfer data into or out of the SPD EEPROM.  A resistor must be connected from the SDA bus line to VDD to act as a pullup.
SCL	Input	This signal is used to clock data into and out of the SPD EEPROM. A resistor may be connected from the SCL bus time to VDD to act as a pullup.
SA0-2	Input	These signals are tied at the system planar to either VSS or VDD to configure the serial SPD EEPROM address range.
VDDID		VDD identification flag


21.Mar.2001

## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

### **BASIC FUNCTIONS**

The MH28D72KLG provides basic functions, bank (row) activate, burst read / write, bank (row) precharge, and auto / self refresh. Each command is defined by control signals of /RAS, /CAS and /WE at CLK rising edge. In addition to 3 signals, /CS, CKE and A10 are used as chip select, refresh option, and precharge option, respectively. To know the detailed definition of commands, please see the command truth table.



### Activate (ACT) [/RAS =L, /CAS =/WE =H]

ACT command activates a row in an idle bank indicated by BA.

#### Read (READ) [/RAS =H, /CAS =L, /WE =H]

READ command starts burst read from the active bank indicated by BA. First output data appears after /CAS latency. When A10 =H at this command, the bank is deactivated after the burst read (auto-precharge, **READA**)

### Write (WRITE) [/RAS =H, /CAS =/WE =L]

WRITE command starts burst write to the active bank indicated by BA. Total data length to be written is set by burst length. When A10 =H at this command, the bank is deactivated after the burst write (auto-precharge, **WRITEA**).

### Precharge (PRE) [/RAS =L, /CAS =H, /WE =L]

MIT-DS-0412-0.1

PRE command deactivates the active bank indicated by BA. This command also terminates burst read /write operation. When A10 =H at this command, all banks are deactivated (precharge all, **PREA**).

### Auto-Refresh (REFA) [/RAS =/CAS =L, /WE =CKE0 =H]

REFA command starts auto-refresh cycle. Refresh address including bank address are generated internally. After this command, the banks are precharged automatically.

MITSUBISHI ELECTRIC 21.Mar.2001

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **COMMAND TRUTH TABLE**

COMMAND	MNEMONIC	CKE n-1	CKE n	/S	/RAS	/CAS	/WE	BA0,1	A10 /AP	A0-9, 11-12	note
Deselect	DESEL	Н	Χ	Н	Χ	Χ	Χ	Χ	Χ	Χ	
No Operation	NOP	Ι	Χ	L	Н	Ι	Ι	Χ	Χ	Χ	
Row Address Entry & Bank Activate	ACT	Н	Х	L	L	Н	Ι	V	٧	V	
Single Bank Precharge	PRE	Η	Χ	L	L	Η	L	V	L	Χ	
Precharge All Banks	PREA	Н	Χ	L	L	Н	L	Χ	Н	Χ	
Column Address Entry & Write	WRITE	Н	Х	L	Н	L	L	V	L	V	
Column Address Entry & Write with Auto-Precharge	WRITEA	Н	х	L	Н	L	L	٧	Н	V	
Column Address Entry & Read	READ	Н	Х	L	Н	L	Н	V	L	٧	
Column Address Entry & Read with Auto-Precharge	READA	Н	Х	L	Н	L	Η	٧	Н	V	
Auto-Refresh	REFA	Н	Н	L	L	L	Н	Χ	Χ	Χ	
Self-Refresh Entry	REFS	Н	L	L	L	L	Н	Х	Х	Х	
Calf Dafragh Fuit	REFSX	L	Н	Н	Х	Х	Х	Χ	Χ	Χ	
Self-Refresh Exit	KEFSA	L	Н	L	Н	Н	Н	Χ	Χ	Χ	
Burst Terminate	TERM	Н	Χ	L	Н	Н	L	Χ	Χ	Х	1
Mode Register Set	MRS	Н	Χ	L	L	L	L	L	L	V	2

H=High Level, L=Low Level, V=Valid, X=Don't Care, n=CLK cycle number

#### NOTE:

- 1. Applies only to read bursts with autoprecharge disabled; this command is undefined (and should not be used) for read bursts with autoprecharge enabled, and for write bursts.
- 2. BA0-BA1 select either the Base or the Extended Mode Register (BA0 = 0, BA1 = 0 selects Mode Register; BA0 = 1, BA1 = 0 selects Extended Mode Register; other combinations of BA0-BA1 are reserved; A0-A11 provide the op-code to be written to the selected Mode Register.

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **FUNCTION TRUTH TABLE**

011011011					•			
Current State	/S	/RAS	/CAS	/WE	Address	Command	Action	Notes
IDLE	Н	Х	Х	Х	Х	DESEL	NOP	
	L	Н	Н	Н	Х	NOP	NOP	
	L	Н	Н	L	ВА	TERM	ILLEGAL	2
	L	Н	L	Х	BA, CA, A10	READ / WRITE	ILLEGAL	2
	L	L	Н	Н	BA, RA	ACT	Bank Active, Latch RA	
	L	L	Н	L	BA, A10	PRE / PREA	NOP	4
	L	L	L	Н	Х	REFA	Auto-Refresh	5
	L	L	L	L	Op-Code, Mode-Add	MRS	Mode Register Set	5
ROW ACTIVE	Н	Х	Х	Х	Х	DESEL	NOP	
	L	Н	Н	Н	х	NOP	NOP	
	L	Н	Н	L	ВА	TERM	NOP	
	L	Н	L	Н	BA, CA, A10	READ / READA	Begin Read, Latch CA, Determine Auto-Precharge	
	L	Н	L	L	BA, CA, A10	WRITE / WRITEA	Begin Write, Latch CA,  Determine Auto-Precharge	
	L	L	Н	Н	BA, RA	ACT	Bank Active / ILLEGAL	2
	L	L	Н			Precharge / Precharge All		
	L	L	L	Н	х	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS ILLEGAL		
READ	Н	Х	Х	Х	Х	DESEL	NOP (Continue Burst to END)	
(Auto-	L	Н	Н	Н	Х	NOP	NOP (Continue Burst to END)	
Precharge	L	Н	Н	L	ВА	TERM	Terminate Burst	
Disabled)	L	н	L	н	BA, CA, A10	READ / READA	Terminate Burst, Latch CA, Begin New Read, Determine Auto-Precharge	3
	L	Н	L	L	BA, CA, A10	WRITE WRITEA	ILLEGAL	
	L	L	Н	Н	BA, RA	ACT	Bank Active / ILLEGAL	2
	L	L	Н	L	BA, A10	PRE / PREA	Terminate Burst, Precharge	
	L	L	L	Н	Χ	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS	ILLEGAL	

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **FUNCTION TRUTH TABLE (continued)**

Current State	/S	/RAS	/CAS	/WE	Address	Command	Action	Notes
WRITE	Н	Х	Х	Χ	Х	DESEL	NOP (Continue Burst to END)	
(Auto-	L	Н	Н	Н	Х	NOP	NOP (Continue Burst to END)	
Precharge	L	Н	Н	L	ВА	TERM	ILLEGAL	
Disabled)	L	Н	L	Н	BA, CA, A10	READ / READA	Terminate Burst, Latch CA, Begin Read, Determine Auto- Precharge	3
	L	Н	L	L	BA, CA, A10	WRITE / WRITEA	Terminate Burst, Latch CA, Begin Write, Determine Auto- Precharge	3
	L	L	Н	Н	BA, RA	ACT	Bank Active / ILLEGAL	2
	L	L	Н	L	BA, A10	PRE / PREA	Terminate Burst, Precharge	
	L	L	L	Н	Χ	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS	ILLEGAL	
READ with	Н	Х	Χ	Χ	Х	DESEL	NOP (Continue Burst to END)	
AUTO	L	Н	Н	Н	Х	NOP	NOP (Continue Burst to END)	
PRECHARGE	L	Н	Н	L	ВА	TERM	ILLEGAL	
	L	Н	L	Н	BA, CA, A10	READ / READA	ILLEGAL	
	L	Н	L	L	BA, CA, A10	WRITE / WRITEA	ILLEGAL	
	L	L	Н	Н	BA, RA	ACT	Bank Active / ILLEGAL	2
	L	L	Н	L	BA, A10	PRE / PREA	PRECHARGE/ILLEGAL	2
	L	L	L	Н	Х	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS	ILLEGAL	
WRITE with	Н	Х	Χ	Χ	Χ	DESEL	NOP (Continue Burst to END)	
AUTO	L	Н	Н	Н	Х	NOP	NOP (Continue Burst to END)	
PRECHARGE	L	Н	Н	L	ВА	TERM	ILLEGAL	
	L	Н	L	Н	BA, CA, A10	READ / READA	ILLEGAL	
	L	Н	L	L	BA, CA, A10	WRITE / WRITEA	ILLEGAL	
	L	L	Н	Н	BA, RA	ACT	Bank Active / ILLEGAL	2
	L	L	Н	L	BA, A10	PRE / PREA	PRECHARGE/ILLEGAL	2
	L	L	L	Н	Χ	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS	ILLEGAL	

MIT-DS-0412-0.1



21.Mar.2001

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

**FUNCTION TRUTH TABLE (continued)** 

Current State	/S	/RAS	/CAS		Address	Command	Action	Notes
PRE -	Н	Х	Х	Х	Х	DESEL	NOP (Idle after tRP)	
CHARGING	L	Н	Н	Н	Х	NOP	NOP (Idle after tRP)	
	L	Н	Н	L	ВА	TERM	ILLEGAL	2
	L	Н	L	Х	BA, CA, A10	READ / WRITE	ILLEGAL	2
	L	L	Н	Н	BA, RA	ACT	ILLEGAL	2
	L	L	Н	L	BA, A10	PRE / PREA	NOP (Idle after tRP)	4
	L	L	L	Н	Χ	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS	ILLEGAL	
ROW	Н	Х	Х	Х	Χ	DESEL	NOP (Row Active after tRCD)	
ACTIVATING	L	Н	Н	Н	Χ	NOP	NOP (Row Active after tRCD)	
	L	Н	Н	L	ВА	TERM	ILLEGAL	2
	L	Н	L	Х	BA, CA, A10	READ / WRITE	ILLEGAL	2
	L	L	Н	Н	BA, RA	ACT	ILLEGAL	2
	L	L	Н	L	BA, A10	PRE / PREA	ILLEGAL	2
	L	L	L	Н	Χ	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS	ILLEGAL	
WRITE RE-	Н	Х	Х	Х	Χ	DESEL	NOP	
COVERING	L	Н	Н	Н	Х	NOP	NOP	
	L	Н	Н	L	ВА	TERM	ILLEGAL	2
	L	Н	L	Х	BA, CA, A10	READ / WRITE	ILLEGAL	2
	L	L	Н	Н	BA, RA	ACT	ILLEGAL	2
	L	L	Н	L	BA, A10	PRE / PREA	ILLEGAL	2
	L	L	L	Н	Х	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS	ILLEGAL	

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

**FUNCTION TRUTH TABLE (continued)** 

Current State	/S	/RAS	/CAS	/WE	Address	Command	Action	Notes
RE-	Н	Х	Χ	Χ	Х	DESEL	NOP (Idle after tRC)	
FRESHING	L	Н	Н	Н	Х	NOP	NOP (Idle after tRC)	
	L	Н	Н	L	ВА	TERM	ILLEGAL	
	L	Н	L	Χ	BA, CA, A10	READ / WRITE	ILLEGAL	
	L	L	Н	Н	BA, RA	ACT	ILLEGAL	
	L	L	Н	L	BA, A10	PRE / PREA	ILLEGAL	
	L	L	L	Н	Χ	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS	ILLEGAL	
MODE	Н	Х	Х	Χ	Χ	DESEL	NOP (Idle after tRSC)	
REGISTER	L	Н	Н	Н	Х	NOP	NOP (Idle after tRSC)	
SETTING	L	Н	Н	L	ВА	TERM	ILLEGAL	
	L	Н	L	Х	BA, CA, A10	READ / WRITE	ILLEGAL	
	L	L	Н	Н	BA, RA	ACT	ILLEGAL	
	L	L	Н	L	BA, A10	PRE / PREA	ILLEGAL	
	L	L	L	Н	Χ	REFA	ILLEGAL	
	L	L	L	L	Op-Code, Mode-Add	MRS	ILLEGAL	

### ABBREVIATIONS:

H=High Level, L=Low Level, X=Don't Care

BA=Bank Address, RA=Row Address, CA=Column Address, NOP=No Operation

#### NOTES:

- 1. All entries assume that CKE0 was High during the preceding clock cycle and the current clock cycle.
- 2. ILLEGAL to bank in specified state; function may be legal in the bank indicated by BA, depending on the state of that bank.
- 3. Must satisfy bus contention, bus turn around, write recovery requirements.
- 4. NOP to bank precharging or in idle state. May precharge bank indicated by BA.
- 5. ILLEGAL if any bank is not idle.

ILLEGAL = Device operation and/or data-integrity are not guaranteed.

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **FUNCTION TRUTH TABLE for CKE**

Current State	CKE n-1	CKE n	/S	/RAS	/CAS	/WE	Add	Action	Notes
SELF-	Н	Х	Х	Х	Х	Х	Х	INVALID	1
REFRESH	L	Н	Н	Х	Х	Х	Х	Exit Self-Refresh (Idle after tRC)	1
	L	Н	L	Н	Н	Н	Х	Exit Self-Refresh (Idle after tRC)	1
	L	Н	L	Н	Н	L	Х	ILLEGAL	1
	L	Н	L	Н	L	Х	Х	ILLEGAL	1
	L	Н	L	L	Х	Х	Х	ILLEGAL	1
	اــ		Х	Х	Х	Х	Х	NOP (Maintain Self-Refresh)	1
POWER	Н	Х	Х	Х	Х	Х	Х	INVALID	
DOWN	L	I	Х	Х	Х	Х	Х	Exit Power Down to Idle	
	L	L	Х	Х	Х	Х	Х	NOP (Maintain Self-Refresh)	
ALL BANKS	Н	Н	Х	Х	Х	Х	Х	Refer to Function Truth Table	2
IDLE	Н	L	L	L	L	Н	Х	Enter Self-Refresh	2
	Ι	L	Ι	Х	Х	Х	Х	Enter Power Down	2
	Н	L	L	Н	Η	Н	Х	Enter Power Down	2
	Н	L	L	Н	Н	L	Х	ILLEGAL	2
	Н	L	L	Н	L	Х	Х	ILLEGAL	2
	Ι	لــ	اـ	L	Х	Х	Х	ILLEGAL	2
	L	Х	Х	Х	Х	Х	Х	Refer to Current State =Power Dowr	2
ANY STATE	Н	Н	Х	Х	Х	Х	Х	Refer to Function Truth Table	
other than	Н	L	Х	Х	Х	Х	Х	Begin CLK Suspend at Next Cycle	3
listed above	L	Н	Х	Х	Х	Х	Х	Exit CLK Suspend at Next Cycle	3
	L	L	Х	Х	Χ	Х	X	Maintain CLK Suspend	

#### ABBREVIATIONS:

H=High Level, L=Low Level, X=Don't Care


#### NOTES:

- 1. CKE0 Low to High transition will re-enable CK0 and other inputs asynchronously
  - . A minimum setup time must be satisfied before any command other than EXIT.
- 2. Power-Down and Self-Refresh can be entered only from the All Banks Idle State.
- 3. Must be legal command.

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## SIMPLIFIED STATE DIAGRAM



## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

### **POWER ON SEQUENCE**

Before starting normal operation, the following power on sequence is necessary to prevent a SDRAM from damaged or multifunctioning.

- 1. Apply VDD and VDDQ before or the same time as VTT & Vref
- 2. Maintain stable condition for 200us after stable power and CLK, apply NOP or DSEL
- 3. Issue precharge command for all banks of the device
- 4. Issue EMRS
- 5. Issue MRS
- 6. Issue 2 or more Auto Refresh commands
- 7. Maintain stable condition for 200 cycle

After these sequence, the SDRAM is idle state and ready for normal operation.

#### **MODE REGISTER**

DLL

Reset

CK0 Burst Length, Burst Type and /CAS Latency can be programmed by /CK0 setting the mode register (MRS). The mode register stores these data until the next MRS command, which may be issued in idle state. /S0 After tMRD from a MRS command, the DDR DIMM is ready for new /RAS command. /CAS ΜE BA1 BA0 A12 A11 A10 A9 A8 Α7 A6 A5 Α4 А3 Α2 Α1 A0 BA0 0 0 0 0 0 0 DR 0 LTMODE ВТ BL BA1 A11-A0 BT = 0BL BT= 1 R 000 R CL /CAS Latency 001 2 2 000 R 0 1 0 4 4 Latency 0.01 R Burst 0 1 1 8 8 Mode \*1 0 1 0 Length 100 R R (SDRAM 0 1 1 R 101 R R level) 100 R 110 R R R 101 111 R R 2.5 1 1 0 111 R 0 Burst Sequential

\*1 In the module, 1 latency should be added due to registered DIMM.

Type

MIT-DS-0412-0.1

MITSUBISHI ELECTRIC

0

NO

YES

21.Mar.2001

Interleaved

R: Reserved for Future Use


# MH28D72KLG-75,-10

CK0

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module


### **EXTENDED MODE REGISTER**

DLL disable / enable mode can be programmed by setting the extended mode register (EMRS). The extended mode register stores these data until the next EMRS command, which may be issued in idle state. After tMRD from a EMRS command, the DDR DIMM is ready for new command.



# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module



Initia	al Ad	dress	BL		Column Addressing														
A2	A1	Α0					Sequ	uentia	al					Interleaved					
0	0	0		0	1	2	3	4	5	6	7	0	1	2	3	4	5	6	7
0	0	1		1	2	3	4	5	6	7	0	1	0	3	2	5	4	7	6
0	1	0		2	3	4	5	6	7	0	1	2	3	0	1	6	7	4	5
0	1	1		3	4	5	6	7	0	1	2	3	2	1	0	7	6	5	4
1	0	0	8	4	5	6	7	0	1	2	3	4	5	6	7	0	1	2	3
1	0	1		5	6	7	0	1	2	3	4	5	4	7	6	1	0	3	2
1	1	0		6	7	0	1	2	3	4	5	6	7	4	5	2	3	0	1
1	1	1		7	0	1	2	3	4	5	6	7	6	5	4	3	2	1	0
-	0	0		0	1	2	3					0	1	2	3				
-	0	1		1	2	3	0					1	0	3	2				
-	1	0	4	2	3	0	1					2	3	0	1				
-	1	1		3	0	1	2					3	2	1	0				
-	-	0		0	1		ı					0	1		ı	ı			
-	-	1	2	1	0							1	0	•					

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **ABSOLUTE MAXIMUM RATINGS**

Symbol	Parameter	Conditions	Ratings	Unit
Vdd	Supply Voltage	with respect to Vss	-0.5 ~ 3.7	V
VddQ	Supply Voltage for Output	with respect to VssQ	-0.5 ~ 3.7	V
VI	Input Voltage	with respect to Vss	-0.5 ~ Vdd+0.5	V
VO	Output Voltage	with respect to VssQ	-0.5 ~ VddQ+0.5	V
Ю	Output Current		50	mA
Pd	Power Dissipation	Ta = 25°C	20	W
Topr	Operating Temperature		0 ~ 70	°C
Tstg	Storage Temperature		-40 ~ 100	°C

## DC OPERATING CONDITIONS

 $(Ta=0 \sim 70^{\circ}C)$ , unless otherwise noted)

0	Danisation			11.2	Notes	
Symbol	Parameter	Min.	Тур.	Max.	Unit	Notes
Vdd/VddQ	Supply Voltage	2.3	2.5	2.7	V	
Vref	Input Reference Voltage	1.15	1.25	1.35	V	5
VIH(DC)	High-Level Input Voltage	Vref + 0.18		VddQ+0.3	V	
VIL(DC)	Low-Level Input Voltage	-0.3		Vref - 0.18	V	
VIN(DC)	Input Voltage Level, CK0 and /CK0	-0.3		VddQ + 0.3	V	
VID(DC)	Input Differential Voltage, CK0 and /CK0	0.36		VddQ + 0.6	V	7
VTT	I/O Termination Voltage	Vref - 0.04		Vref + 0.04	V	6

## **CAPACITANCE**

(Ta=0 ~ 70°C , Vdd = VddQ =  $2.5 \pm 0.2$ V, Vss = VssQ = 0V, unless otherwise noted)

Symbol	Parameter	Test Condition	Limits(max.)	Unit	Notes
CI(A)	Input Capacitance, address pin		17	pF	11
CI(C)	Input Capacitance, control pin	f =1MHz	17	pF	11
CI(K)	Input Capacitance, CK0 pin	1 = 11011 12	8	pF	11
CI/O	Input Capacitance, I/O pin		20	pF	11

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

### **AVERAGE SUPPLY CURRENT from Vdd**

 $(Ta=0 \sim 70^{\circ}C)$ , Vdd = VddQ = 2.5 ± 0.2V, Vss = VssQ = 0V, Output Open, unless otherwise noted)

Symbol	Parameter/Test Conditions		s(max)	Unit	Notes
Syllibol	Farameter/Test Conditions	-75	-10	Offic	NOTES
IDD0	OPERATING CURRENT: One Bank; Active-Precharge; t RC = t RC MIN; t CK = t CK MIN; DQ, DM and DQS inputs changing twice per clock cycle; address and control inputs changing once per clock cycle	2819	2520	mA	
IDD1	OPERATING CURRENT: One Bank; Active-Read-Precharge; Burst = 2; t RC = t RC MIN; CL = 2.5; t CK = t CK MIN; IOUT= 0 mA;Address and control inputs changing once per clock cycle	2909	2744	mA	
IDD2P	PRECHARGE POWER-DOWN STANDBY CURRENT: All banks idle; power-down mode; CKE≦ VIL (MAX); t CK = t CK MIN	1289	1214	mA	
IDD2N	IDLE STANDBY CURRENT: /CS > VIH (MIN); All banks idle; CKE > VIH (MIN); t CK = t CK MIN; Address and other control inputs changing once per clock cycle	1469	1394	mA	
IDD3P	ACTIVE POWER-DOWN STANDBY CURRENT: One bank active; power-down mode; CKE≦ VIL (MAX); t CK = t CK MIN	1469	1394	mA	
IDD3N	ACTIVE STANDBY CURRENT: /CS > VIH (MIN); CKE > VIH (MIN); One bank; Active-Precharge; t RC = t RAS MAX; t CK = t CK MIN; DQ,DM and DQS inputs changing twice per clock cycle; address and other control inputs changing once per clock cycle	2009	1844	mA	
IDD4R	OPERATING CURRENT: Burst = 2; Reads; Continuous burst;One bank active; Address and control inputs changing once per clock cycle; CL = 2.5; t CK = t CK MIN; IOUT = 0 mA	3629	3374	mA	
IDD4W	OPERATING CURRENT: Burst = 2; Writes; Continuous burst; One bank active; Address and control inputs changing once per clock cycle; CL = 2.5; t CK = t CK MIN; DQ, DM and DQS inputs changing twice per clock cycle	3269	3104	mA	
IDD5	AUTO REFRESH CURRENT: t RC = t RFC (MIN)	4259	4004	mA	
IDD6	SELF REFRESH CURRENT: CKE≦0.2V	983	908	mA	9

### **AC OPERATING CONDITIONS AND CHARACTERISTICS**

 $(Ta=0 \sim 70^{\circ}C$ ,  $Vdd = VddQ = 2.5 \pm 0.2V$ , Vss = VssQ = 0V, unless otherwise noted)

O. mala al	December / Test Conditions	Lin	11	Nistas	
Symbol	Parameter/Test Conditions	Min.	Max.	Unit	Notes
VIH(AC)	High-Level Input Voltage (AC)	Vref + 0.35		٧	
VIL(AC)	Low-Level Input Voltage (AC)		Vref - 0.35	٧	
VID(AC)	Input Differential Voltage, CLK and /CLK	0.7	V <sub>DD</sub> Q + 0.6	V	7
VIX(AC)	Input Crossing Point Voltage, CLK and /CLK	0.5*V <sub>DD</sub> Q-0.2	0.5*V <sub>DD</sub> Q+0.2	٧	8
IOZ	Off-state Output Current /Q floating Vo=0~V DQ	-5	5	μΑ	
li	Input Current / VIN=0 ~ VddQ	-10	10	μΑ	

MIT-DS-0412-0.1



21.Mar.2001

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **AC TIMING REQUIREMENTS** (Component Level)

(Ta=0 ~  $70^{\circ}$ C , Vdd = VddQ = 2.5 ± 0.2V, Vss = VssQ = 0V, unless otherwise noted)

	AC Characteristics		-7	<b>'</b> 5	-10			
Symbol	Parameter		Min.	Max.	Min.	Max.	Unit	Notes
tAC	DQ Output Valid data delay time from CLK//CLK		-0.75	+0.75	-0.8	+0.8	ns	
tDQSCK	DQ Output Valid data delay time from C	CLK//CLK	-0.75	+0.75	-0.8	+0.8	ns	
tCH	CLK High level width		0.45	0.55	0.45	0.55	tCK	
tCL	CLK Low level width		0.45	0.55	0.45	0.55	tCK	
tHP	CLK half period		min (tCL,tCH)		min (tCL,tCH)		ns	20
tCK	CLK cycle time	CL=2.5	7.5	15	8	15	ns	
	-	CL=2	10	15	10	15	ns	
tDH	Input Setup time (DQ,DM)		0.5		0.6		ns	
tDS	Input Hold time(DQ,DM)		0.5		0.6		ns	
tDIPW	DQ and DM input pulse width (for each input)		1.75		2		ns	
tHZ	Data-out-high impedance time from CLK//CLK		-0.75	+0.75	-0.8	+0.8	ns	14
tLZ	Data-out-low impedance time from CLK//CLK		-0.75	+0.75	-0.8	+0.8	ns	14
tDQSQ	DQS-DQ Skew(for DQS and associated	DQ signals)		+0.5		+0.6	ns	
tDQSA	DQS-DQ Skew(for DQS and all DQ sign	als)		+0.5		+0.6	ns	
tQH	DQ/DQS output hold time from DQS		tHP-0.75		tHP-1.0		ns	
tDQSS	Write command to first DQS latching tra	ansition	0.75	1.25	0.75	1.25	tCK	
tDQSH	DQS input High level width		0.35		0.35		tCK	
tDQSL	DQS input Low level width		0.35		0.35		tCK	
tDSS	DQS falling edge to CLK setup time		0.2		0.2		tCK	
tDSH	DQS falling edge hold time from CLK		0.2		0.2		tCK	
tMRD	Mode Register Set command cycle time	9	15		15		ns	
tWPRES	Write preamble setup time		0		0		ns	16
tWPST	Write postamble		0.4	0.6	0.4	0.6	tCK	15
tWPRE	Write preamble		0.25		0.25		tCK	
tIS	Input Setup time (address and control)		0.9		1.1		ns	19
tIH	Input Hold time (address and control)		0.9		1.1		ns	19
tRPST	Read postamble		0.4	0.6	0.4	0.6	tCK	
tRPRE	Read preamble		0.9	1.1	0.9	1.1	tCK	

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module


## **AC TIMING REQUIREMENTS(Continues)**


 $(Ta=0 \sim 70^{\circ}C)$ , Vdd = VddQ = 2.5 ± 0.2V, Vss = VssQ = 0V, unless otherwise noted)

	AC Characteristics	-75		-10			
Symbol	Parameter	Min.	Max.	Min.	Max.	Unit	Notes
tRAS	Row Active time	45	120,000	50	120,000	ns	
tRC	Row Cycle time(operation)	65		70		ns	
tRFC	Auto Ref. to Active/Auto Ref. command period	75		80		ns	
tRCD	Row to Column Delay	20		20		ns	
tRP	Row Precharge time	20		20		ns	
tRRD	Act to Act Delay time	15		15		ns	
tWR	Write Recovery time	15		15		ns	
tDAL	Auto Precharge write recovery + precharge time	35		35		ns	
tWTR	Internal Write to Read Command Delay	1		1		tCK	
tXSNR	Exit Self Ref. to non-Read command	75		80		ns	
tXSRD	Exit Self Ref. to -Read command	200		200		tCK	
tXPNR	Exit Power down to command	1		1		tCK	
tXPRD	Exit Power down to -Read command	1		1		tCK	18
tREFI	Average Periodic Refresh interval	7.8		7.8		us	17

## **Output Load Condition**

(for component measurement)





## MH28D72KLG-75,-10


9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

#### **Notes**

- 1. All voltages referenced to Vss.
- 2. Tests for AC timing, IDD, and electrical, AC and DC characteristics, may be conducted at nominal reference/supply voltage levels, but the related specifications and device operation are guaranteed for the full voltage range specified.
- 3. AC timing and IDD tests may use a VIL to VIH swing of up to 1.5V in the test environment, but input timing is still referenced to VREF (or to the crossing point for CK//CK), and parameter specifications are guaranteed for the specified AC input levels under normal use conditions. The minimum slew rate for the input signals is 1V/ns in the range between VIL(AC) and VIH(AC).
- 4. The AC and DC input level specifications are as defined in the SSTL\_2 Standard (i.e. the receiver will effectively switch as a result of the signal crossing the AC input level, and will remain in that state as long as the signal does not ring back above (below) the DC input LOW (HIGH) level.
- 5. VREF is expected to be equal to 0.5\*VddQ of the transmitting device, and to track variations in the DC level of the same. Peak-to-peak noise on VREF may not exceed +/-2% of the DC value.
- 6. VTT is not applied directly to the device. VTT is a system supply for signal termination resistors, is expected to be set equal to VREF, and must track variations in the DC level of VREF.
- 7. VID is the magnitude of the difference between the input level on CLK and the input level on /CLK.
- 8. The value of VIX is expected to equal 0.5\*VddQ of the transmitting device and must track variations in the DC level of the same.
- 9. Enables on-chip refresh and address counters.
- 10. IDD specification are tested after the device is properly initialized.
- 11. This parameter is sampled. VddQ = +2.5V + /-0.2V, Vdd = +2.5V + /-0.2V, f=100MHz, Ta = 25 °C , VOUT(DC) = VddQ/2,  $VOUT(PEAK\ TO\ PEAK) = 25mV$ , DM inputs are grouped with I/O pins reflecting the fact that they are matched in laoding (to faciliate trace matching at the board level).
- 12. The CLK//CLK input reference level (for signals other than CLK//CLK) is the point at which CLK and /CLK cross; the input reference level for signals other than CLK//CLK, is VREF.
- 13. Inputs are not recognized as valid until VREF stabilized. Exception: during the period before VREF stabilizes, CKE=< 0.3VddQ is recognized as LOW.
- 14. t HZ and tLZ transitions occur in the same access time windows as valid data transitions. These parameters are not referenced to a specific voltage level, but specify when the device output is no longer driving (HZ), or begins driving (LZ).
- 15. The maximum limit for this parameter is not a device limit. The device will operate with a greater value for this parameter, but system performance (bus turnaround) will degrade accordingly.
- 16. The specific requirement is that DQS be valid (HIGH, LOW, or at some point on a valid transition) on or before this CLK edge. A valid transition is defined as monotonic, and meeting the input slew rate specifications of the device. When no writes were previously in progress on the bus, DQS will be transitioning from High-Z to logic LOW. If a previous write was in progress, DQS could be HIGH, LOW, or transitioning from HIGH to LOW at this time, depending on tDQSS.
- 17. A maximum of eight AUTO REFRESH commands can be posted to any given DDR SDRAM device.
- 18. tXPRD should be 200 tCLK in the condition of the unstable CLK operation during the power down mode.
- 19. For command/address and CLK & /CLK slew rate ≥1.0V/ns.
- 20. Min(tCL, tCH)refers to the smaller of the actual clock low time and the actualclock high time as provided to the device.

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module



MIT-DS-0412-0.1

MITSUBISHI ELECTRIC

21.Mar.2001

## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

#### **OPERATIONAL DESCRIPTION**


#### **BANK ACTIVATE**

The DDR SDRAM has four independent banks. Each bank is activated by the ACT command with the bank addresses (BA0,1). A row is indicated by the row address A12-0. The minimum activation interval between one bank and the other bank is tRRD. Maximum 2 ACT commands are allowed within tRC, although the number of banks which are active concurrently is not limited.

#### **PRECHARGE**

The PRE command deactivates the bank indicated by BA0,1. When multiple banks are active, the precharge all command (PREA,PRE+A10=H) is available to deactivate them at the same time. After tRP from the precharge, an ACT command to the same bank can be issued.

## Bank Activation and Precharge All (BL=8, CL=2 (Discrete level))



A precharge command can be issued at BL/2(Discrete) from a read command without data loss.

MIT-DS-0412-0.1


## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

#### **READ**


After tRCD from the bank activation, a READ command can be issued. 1st Output data is available after the /CAS Latency from the READ, followed by (BL-1) consecutive data when the Burst Length is BL. The start address is specified by A11,A9-A0, and the address sequence of burst data is defined by the Burst Type. A READ command may be applied to any active bank, so the row precharge time (tRP) can be hidden behind continuous output data by interleaving the multiple banks. When A10 is high at a READ command, the auto-precharge(READA) is performed. Any command(READ,WRITE,PRE,ACT) to the same bank is inhibited till the internal precharge is complete. The internal precharge starts at BL/2(Discrete, In case of module, BL/2+1) after READA. The next ACT command can be issued after (BL/2+tRP) from the previous READA.






# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module






## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

#### **WRITE**

After tRCD from the bank activation, a WRITE command can be issued. 1st input data is set from the WRITE command with data strobe input, following (BL-1) data are written into RAM, when the Burst Length is BL. The start address is specified by A11,A9-A0, and the address sequence of burst data is defined by the Burst Type. A WRITE command may be applied to any active bank, so the row precharge time (tRP) can be hidden behind continuous input data by interleaving the multiple banks. From the last data to the PRE command, the write recovery time (tWRP) is required. When A10 is high at a WRITE command, the auto-precharge(WRITEA) is performed. Any command(READ,WRITE,PRE,ACT) to the same bank is inhibited till the internal precharge is complete. The next ACT command can be issued after tDAL from the last input data cycle.




MIT-DS-0412-0.1 21.Mar.2001

## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module


# BURST INTERRUPTION [Read Interrupted by Read]

Burst read operation can be interrupted by new read of any bank. Random column access is allowed. READ to READ interval is minimum 1CLK.



## [Read Interrupted by precharge]

Burst read operation can be interrupted by precharge of the same bank. READ to PRE interval is minimum 1 CLK. A PRE command to output disable latency is equivalent to the /CAS Latency. As a result, READ to PRE interval determines valid data length to be output. The figure below shows examples of BL=8.




MIT-DS-0412-0.1 21.Mar.2001

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

Module input and output timing. Read Interrupted by Precharge (BL=8)




## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## [Read Interrupted by Burst Stop]


Burst read operation can be interrupted by a burst stop command(TERM). READ to TERM interval is minimum 1 CLK. A TERM command to output disable latency is equivalent to the /CAS Latency. As a result, READ to TERM interval determines valid data length to be output. The figure below shows examples of BL=8.



# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## [Read Interrupted by Write with TERM]




# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module


### [Write interrupted by Write]

Burst write operation can be interrupted by write of any bank. Random column access is allowed. WRITE to WRITE interval is minimum 1 CLK.




## MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module



### [AUTO REFRESH]

Single cycle of auto-refresh is initiated with a REFA(/CS=/RAS=/CAS=L,/WE=CKE=H) command. The refresh address is generated internally. 8192 REFA cycles within 64ms refresh 256M bits memory cells. The auto-refresh is performed on 4 banks concurrently. Before performing an auto refresh, all banks must be in the idle state. Auto-refresh to auto-refresh interval is minimum tRFC. Any command must not be supplied to the device before tRFC from the REFA command.



MIT-DS-0412-0.1

MITSUBISHI ELECTRIC


21.Mar.2001

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

### [SELF REFRESH]

Self-refresh mode is entered by issuing a REFS command (/CS=/RAS=/CAS=L,/WE=H,CKE=L). Once the self-refresh is initiated, it is maintained as long as CKE is kept low. During the self-refresh mode, CKE is asynchronous and the only enable input, all other inputs including CLK are disabled and ignored, so that power consumption due to synchronous inputs is saved. To exit the self-refresh, supplying stable CLK inputs, asserting DESEL or NOP command and then asserting CKE for longer than tXSNR/tXSRD.




# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

### [Asynchronous SELF REFRESH]

Asynchronous Self -refresh mode is entered by CKE=L within 2 tCLK after issuing a REFA command (/CS=/RAS=/CAS=L,/WE=H). Once the self-refresh is initiated, it is maintained as long as CKE is kept low. During the self-refresh mode, CKE is asynchronous and the only enable input, all other inputs including CLK are disabled and ignored, so that power consumption due to synchronous inputs is saved. To exit the self-refresh, supplying stable CLK inputs, asserting DESEL or NOP command and then asserting CKE for longer than tXSNR/tXSRD.

### **Asynchronous Self-Refresh**




# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

### [Power DOWN]

The purpose of CLK suspend is power down. CKE is synchronous input except during the self-refresh mode. A command at cycle is ignored. From CKE=H to normal function, DLL recovery time is NOT required in the condition of the stable CLK operation during the power down mode.



# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **Serial Presence Detect Table I**

Byte	Function described		SPD enrty data	SPD DATA(hex)
0	Number of Serial PD Bytes Written during Production	ì	128	80
1	Total # bytes of SPD memory device		256 Bytes	08
2	Fundamental memory type		SDRAM DDR	07
3	# Row Addresses on this assembly		13	0D
4	# Column Addresses on this assembly		11	0B
5	# Module Banks on this assembly		2BANK	02
6	Data Width of this assembly		x72	48
7	Data Width continuation		0	00
8	Voltage interface standard of this assembly		SSTL2.5V	04
9	SDRAM Cycletime at Max. Supported CAS Latency (CL).	-75	7.5ns	75
	Cycle time for CL=2.5	-10	8.0ns	80
10	SDRAM Access from Clock	-75	±0.75ns	75
	tAC for CL=2.5	-10	±0.8 ns	80
11	DIMM Configuration type (Non-parity,Parity,ECC)		ECC	02
12	Refresh Rate/Type		7.8uS/SR	82
13	SDRAM width,Primary DRAM		x4	04
14	Error Checking SDRAM data width		x4	04
15	Mlimum Clock Delay, Random Column Access		1 clock	01
16	Burst Lengths Supported		2, 4, 8	0E
17	Number of Device Banks		4bank	04
18	CAS# Latency		2.0, 2.5	0C
19	CS# Latency		0	01
20	WE Latency		1	02
21	SDRAM Module Attributes		Registered with PLL Differential Clock	26
22	SDRAM Device Attributes:General		VDD <u>+</u> 0.2V	00
23	SDRAM Cycle time(2nd highest CAS latency)	-75	10ns	AO
23	Cycle time for CL=2	-10	10ns	A0
24	SDRAM Access form Clock(2nd highest CAS latency)	-75	±0.75ns	75
2-1	tAC for CL=2	-10	±0.8ns	80
25	SDRAM Cycle time(3rd highest CAS latency)	-75	N/A	00
	, , , , , , , , , , , , , , , , , , ,	-10	N/A	00
26	SDRAM Access form Clock(3rd highest CAS latency)	-75	N/A	00
	-10		N/A	00
27	Minimum Row Precharge Time (tRP)		20ns	50
28	Minimum Row Active to Row Active Delay (tRRD)		15ns	3C
29	RAS to CAS Delay Minv (tRCD)		20ns	50
30	Active to Precharge Min (tRAS)	-75	45ns	2D
	Active to Freehange Will (IIIAO)	-10	50ns	32

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

## **Serial Presence Detect Table II**

31	Density of each bank on module		512MByte	80
32		-75	0.9nS	90
	Command and Address signal input setup time	-10	1.1nS	В0
00	Organization of Address sinced insert healthing	-75	0.9nS	90
33	Command and Address signal input hold time  -10		1.1nS	В0
		-75	0.5nS	50
34	Data signal input setup time	-10	0.6nS	60
25	-75		0.5nS	50
35	Data signal input hold time	-10	0.6nS	60
36-61	Superset Information (may be used in future)		option	00
62	SPD Revision		0	00
63	Checksum for bytes 0-62		Check sum for -75	11
	Checksum for bytes 0-02		Check sum for -10	97
64-71	Manufactures Jedec ID code per JEP-108E		MITSUBISHI	1CFFFFFFFFFFF
72	Manufacturing location		Manufacture location	xx
73-90	Manufactures Part Number	Manufactures Part Number		4D4832384437324B4C472D37352020202020
			MH64D72KLG-10	4D4832384437324B4C472D31302020202020
91-92	Revision Code		PCB revision	rrrr
93-94	Manufacturing date		year/week code	yyww
95-98			serial number	sssssss
99-127	Reserved		Undefined	00
128-255	Open for Customer Use		Undefined	00

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module


### EEPROM Components A.C. and D.C. Characteristics

			Limits		
Symbol	Parameter	Min.	Тур.	Max.	Units
Vcc	Supply Voltage	2.2		5.5	V
Vss	Supply Voltage	0	0	0	V
Vih	Input High Voltage	Vccx0.7		Vcc+0.5	V
VIL	Input Low Voltage	-1		Vccx0.3	V
Vol	Output Low Voltage			0.4	V

## EEPROM A.C.Timing Parameters (Ta=0 to 70°C)

	Limits			
Symbol	Parameter	Min.	Max.	Units
fSCL	SCL Clock Frequency		100	KHz
TI	Noise Supression Time Constant at SCL, SDA inputs		200	ns
TAA	SCL Low to SDA Data Out Valid		3.5	us
IRUE	Time the Bus Must Be Free before a New Transmission Can Start	4.7		us
THD:STA	Start Condition Hold Time	4.0		us
TLOW	Clock Low Time	4.7		us
THIGH	Clock High Time	4.0		US
TSU:STA	Start Condition Setup Time	4.7		us
THD:DAT	Data In Hold Time	0		us
TSU:DAT	Data In Setup Time	250		ns
TR	SDA and SCL Rise Time		1	us
TF	SDA and SCL Fall Time		300	ns
TSU:STO	Stop Condition Setup Time	4.0		us
TDH	Data Out Hold Time	100		ns
TWR	Write Cycle Time		10	ms

tWR is the time from a valid stop condition of a write sequence to the end of the EEPROM internal erase/program cycle.




MIT-DS-0412-0.1


MITSUBISHI ELECTRIC


21.Mar.2001

# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module







# MH28D72KLG-75,-10

9,663,676,416-BIT (134,217,728-WORD BY 72-BIT) Double Data Rate Synchronous DRAM Module

# "Keep safety first in your circuit designs!"

Mitsubishi Electric Corporation puts the maximum effort into making semiconductor products better and more reliable, but there is always the possibility that trouble may occur with them. Trouble with semiconductors may lead to personal injury, fire or property damage. Remember to give due consideration to safety when making your circuit designs, with appropriate measures such as (i) placement of substitutive, auxiliary circuits, (ii) use of non-flammable material or (iii) prevention against any malfunction or mishap.

## Notes regarding these materials

- 1. These materials are intended as a reference to assist our customers in the selection of the Mitsubishi semiconductor product best suited to the customer's application; they do not convey any license under any intellectual property rights, or any other rights, belonging to Mitsubishi Electric Corporation or a third party.
- 2.Mitsubishi Electric Corporation assumes no responsibility for any damage, or infringement of any third-party's rights, originating in the use of any product data, diagrams, charts, programs, algorithms, or circuit application examples contained in these materials.
- 3.All information contained in these materials, including product data, diagrams, charts, programs and algorithms represents information on products at the time of publication of these materials, and are subject to change by Mitsubishi Electric Corporation without notice due to product improvements or other reasons. It is therefore recommended that customers contact Mitsubishi Electric Corporation or an authorized Mitsubishi Semiconductor product distributor for the latest product information before purchasing a product listed herein. The information described here may contain technical inaccuracies or typographical errors. Mitsubishi Electric Corporation assumes no responsibility for any damage, liability, or other loss rising from these inaccuracies or errors.

Please also pay attention to information published by Mitsubishi Electric Corporation by various means, including the Mitsubishi Semiconductor home page (http://www.mitsubishichips.com).

4. When using any or all of the information contained in these materials, including product data, diagrams, charts, programs and algorithms, please be sure to evaluate all information as a total system before making a final decision on the applicability of the information and products.

Mitsubishi Electric Corporation assumes no responsibility for any damage, liability or other loss resulting from the information contained herein.

- 5. Mitsubishi Electric Corporation semiconductors are not designed or manufactured for use in a device or system that is used under circumstances in which human life is potentially at stake. Please contact Mitsubishi Electric Corporation or an authorized Mitsubishi Semiconductor product distributor when considering the use of a product contained herein for any specific purposes, such as apparatus or systems for transportation, vehicular, medical, aerospace, nuclear, or undersea repeater use.
- 6. The prior written approval of Mitsubishi Electric Corporation is necessary to reprint or reproduce in whole or in part these materials.
- 7. If these products or technologies are subject to the Japanese export control restrictions, they must be exported under a license from the Japanese government and cannot be imported into a country other than the approved destination.

Any diversion or reexport contrary to the export control laws and regulations of Japan and/or the country of destination is prohibited.

8. Please contact Mitsubishi Electric Corporation or an authorized Mitsubishi Semiconductor product distributor for further details on these materials or the products contained therein.