

PRELIMINARY

REMOTE CONTROL COMMANDER IC

■ GENERAL DESCRIPTION

The NJU6014 is a remote control commander IC, and generates the control code according to the key input of 4×8 matrix. It contains auto clear circuit, carrier generator, key input / key scan output circuit, extension code generator, data ROM and operated single power supply.


The NJU6014 has the stand-by mode using auto clear function with external capacitance.

The transmission code is using a Pulse Position Modulation (PPM) method and its transmission by the IR-LED. Maximum 40 - pattern output is available by programming the PLA and custom code ROM.


■ FEATURES

- Transmission Code Pulse Position Modulation
- Generating Pattern -- Fixed by PLA and ROM
- Frame Number Setting -- 1 to 8 frame
- Internal Oscillation Circuit
- Power On Initialization
- Stand-by Mode . −− 1 μ A Max.
- Low Power Consumption
- Low Operating Voltage -- 1.1 ~ 1.8V
- Package Outline
 SSOP 20 / SOP 20 / SDIP 22
- C-MOS Technology

■ BLOCK DIAGRAM




■ PACKAGE OUTLINE




NJU6014L

■ PIN CONFIGURATION



NJU60146/V





■ TERMINAL DESCRIPTION

NO.		SYMBOL	FINOTION			
NJU6014G/V	NJU6014L	SIMDUL	FUNCTION			
1	1	Vss	GND			
2	2	TEST	Testing Terminal (Normally OPEN, Internal Pull-down Resistance)			
3	3	ĀC	Auto Clear Terminal (Internal Pull-up Resistance) Power on initialization is executed by connecting a capacitance to this.			
4, 5	4, 5	Хін, Хоит	Oscillation Inverter Input / Output Terminal (Internal Feedback Resistance) This connects a ceramic resonator.			
6	6	OPT	Extension Key Input Terminal (Internal Pull-up Resistance) The keys are extended by connecting with switches between the OPT terminal and the key scan terminals KSs and KSz.			
7~10	7, 8, 10, 11	EC₀∼EC₃	Key Matrix Input Terminal(Internal Pull-up Resistance) The RCO output is started when this key input is perceived after 36msec period.			
11~18	12, 13 15~20	KS7~KS0	Key Scan Output Terminal Key scan time is 0.42msec. In case using maximum 32 keys , all scan time is about 36msec in high speed.			
19	21	RCO	Remote Control Oscillation Terminal The pulse line of the transmission cord modulated by carrier wave is output. This pulse operates the IR-LED by driving the base of an external NPN transistor.			
20	22	Von	Power Supply Voltage range is wide from 1.1V to 1.8V, therefore it is single battery (1.5V) enough to operate. Except for key operation, operating current (stand-by current) is dropped under 1uA by stopping oscillation.			
	9, 14	NC	Non Connection			

■ FUNCTIONAL DESCRIPTION

(1)Oscillation Circuit

The NJU6014 incorporates an internal oscillation circuit, therefore, when a ceramic resonator is connected the terminals X_{IN} and X_{OUT} , carrier wave of a transmission signal is generated inside.

(2) Key Matrix

The key of 4×8 matrix consists the inputs EC $_{\circ}$ to EC $_{\circ}$ and the key scan outputs KS $_{\circ}$ to KS $_{\circ}$. And Keys are extended by combining the OPT terminal and the terminals KS $_{\circ}$ and KS $_{\circ}$.

(3) Transmission Signal

(3-1) Data Format

The NJU6014 has 14 kinds of the data transmission format as shown in Table 1.



Table 1 Data Transmission Format in NJU6014


Wave Type	Date Line Up
1	Custom Code 8bit Custom Code 8bit Data Code 8bit Data Code 8bit Custom Cod
2	Custom Code 8bit Data Code 8bit Leader C1C2C3C4C5C6C7C8D1D2D3D4D5D6D7D8 Stop
3	Data Code 6bit D1D2D3D4D5D6 Stop
4	Data Code 10bit D1 2 3 4 5 6 7 8 910 Stop
5	Custom Code Shit Cuntom Code Shit Data Code Shit Data Code Shit Data Code Shit Cade Sh
6	Option2 Mask1 Check1 Option2 Mask1 Check1 Address5 Data6 Option2 Mask1 Check1 Option2 Mask1 Check1 Option2
7	Data Code 12bit D1 2 3 4 5 6 7 8 9101112 Stop
8	Data Code 12bit Leader D1 2 3 4 5 6 7 8 9101112 Stop
9	Custom Code Shit Date Code Shit Leader C1C2C3C4C5C6C7C8 Separator D1D2D3D4D5D6D7D8 Stop
10	Custom Code 8bit Custom Code 8bit Data Code 8bit Data Code 8bit Leader C1 C2 C3 C4 C5 C6 C7 C8 C1 C2 C3 C4 C5 C6 C7 C8 D1 D2 D3 D4 D5 D6 D7 D8 D1 D2 D3 D4 D5 D6 D7 D8 Stop Repeat
11	Custom Code 6bit Data Code 6bit Custom Code 6bit Data Code 6bit Data Code 6bit Custom Code 6bit Cade 6bit
12	Custom Code 5bit Data Code 6bit Custom Code 5bit Data Code 6bit Leader C1C2C3C4C5D1D2D3D4D5D6C1C2C3C4C5D1D2D3D4D5D6 Stop
13	Custom Code 8bit Data Code 8bit C1C2C3C4C5C6C7C8D1D2D3D4D5D6D7D8 Stop
14	Custom Code 8bit Custom Code 8bit Data Code 8bit Data Code 8bit Data Code 8bit Leader C1C2C3C4C5C6C7C8C1C2C3C4C5C6C7C8D1D2D3D4D5D6D7D8D1D2D3D4D5D6D7D8 Stop Repeat

Note 1) Each wave form is available as the masked ROM option.



(3-2) The Number of Output Frame

The number of transmission signal frame generated by minimum key input time is available as the masked ROM option. It has from 1 frame to 8 frame.



(4) Key Operation

(4-1) Standard Key Operation

The key board matrix correspond to the ROM code address is shown as follows:

	Standard Key Matrix					
Key Scan	EC ₀	EC ₁	EC ₂	EC ₃		
KS₀	00 (KY1)	08 (KY9)	16 (KY17)	24 (KY25)		
KS₁	01 (KY2)	09 (KY10)	17 (KY18)	25 (KY26)		
KS₂	02 (KY3)	10 (KY11)	18 (KY19)	26 (KY27)		
KS ₃	03 (KY4)	11 (KY12)	19 (KY20)	27 (KY28)		
KS₄	04 (KY5)	12 (KY13)	20(KY21)	28 (KY29)		
KS₅	05 (KY6)	13 (KY14)	21 (KY22)	29 (KY30)		
KS€	06 (KY7)	14 (KY15)	22 (KY23)	30 (KY31)		
KS ₇	07 (KY8)	15 (KY16)	23 (KY24)	31 (KY32)		

Note 2) The inside of parentheses means the key number.

Only for standard key operation, when the roll over input occurs, the transmission data in the data register is cleared by the roll over preventive circuit and the transmission is forbad.

(4-2) Extension Key Operation

The extension key is connected between the OPT terminal and the key scan output terminal KS_6 or KS_7 , key board matrix correspond to ROM code address is shown as follows:

	St	E	xtension	Key Mat	rix	L			
Key Scan	EC ₀	EC ₁	EC ₂	EC ₃	EC.	EC ₁	EC ₂	EC ₃	OPT
KS₀	00 (KY1)	08 (KY9)	16 (KY17)	24 (KY25)					
KS ₁	01 (KY2)	09 (KY10)	17 (KY18)	25 (KY26)	Ī				
KS₂	02 (KY3)	10 (KY11)	18 (KY19)	26 (KY27)	No E				
KS₃	03 (KY4)	11 (KY12)	19 (KY20)	27 (KY28)	No E				
KS₄	04 (KY5)	12 (KY13)	20(KY21)	28 (KY29)					
KS₅	05 (KY6)	13 (KY14)	21 (KY22)	29 (KY30)		i			
KS₅	06 (KY7)	14 (KY15)	22 (KY23)	30(KY31)	20	21	22	23	KY33
KS ₇	07 (KY8)	15 (KY16)	23 (KY24)	31 (KY32)	24	25	26	27	KY34

The extension key is formed by the KY33 and the KY34, and it is generated the extension code by operating with the combination key.



The combination key corresponded to the extension key is as follows:


Extension key	Combination Key				
KY33	KY7	KY15	KY23	KY31	
KY34	KY8	KY16	KY24	KY32	

It is correspondence as this table, therefore any other combinations aren't transmitted, besides, only extension key KY33 or KY34 isn't transmitted. The extension key should be pushed with the combination key.

(4-3) Key Timing Prevented Of Two Key Roll Over

The timing of key scan is 0.42msec. The time to stop scanning is about 36msec. Besides ,to prevent chattering of key ON ,a data isn't read for 9msec after pressing a key. Therefore the key timing prevented of two key roll over is as follow:

① Pressing At The Same Time Within 36msec → Forbidding Transmission



As this, provided an key is kept to press over 36msec, its code is transmitted once.

↑ Key ON

(4-4) Roll Over Timing Of Extension Key

When keys are pressed over two at the same time, transmission is usually forbad by the roll over preventive circuit. However, when the extension key is pressed, it is transmitted by operating with the combination key at input timing as follows:



① Extension Key Signal Transmission

Extension Key (126msec<t)

② Forbidding Extension Key Signal Transmission


Extension Key (36msec<t<126msec)

Combination Key

3 Forbidding Extension Key Signal Transmission

Extension Key (-36msec<t<-36msec)

4 Forbidding Extension Key Signal Transmission



For the order of the priority of pressing key, the extension key can operates when only the combination key is pressed after 126msec at the time of pressing the extension key.


(5) Carrier Frequency Generating Circuit

Each other seramic resonator corresponded to the carrier wave frequency is shown below.

For ROM option, the seramic resonator should be specified.

	Serami	Seramics resonator fosc (kHz)						
	393	440	455	480	455			
Carrier Frequency fca(kHz)	32. 8	36. 7	37.9	40. 0	56. 9			
Dividing Frequency Percentage	fosc/12	fosc/12	fosc/12	fosc/12	fosc/8			

The carrier frequency is output in 1/3 duty.





In case of using the ceramic resonator 455kHz and set the frequency dividing ratio to fosc/8, the carrier frequency is 1/2 duty.



(6) Auto Clear Circuit

Connecting the capacitor between the \overline{AC} terminal and V_{ss} , auto clear function is executed at the time of power-on. After the V_{ob} terminal voltage is risen to 0.9V, it is required that the period (Tc) which the \overline{AC} terminal voltage (Vc) becomes $V_{c}>0.3V_{ob}$ is $T_{c}>0.1$ msec. After auto clear function is executed, this circuit is kept the stand-by mode until a key is input.





An external capacitance should be connected value more than 2nF. Example expressions are shown below.

• For example(V₀₀=1.5V Operating)

V_{min}:Minimum Operating Voltage(1.1V)

Vc : AC Terminal Voltage (0.3Vpb)

Tc :Time Until AC Terminal is Vo>0.3V (more than 0.1ms)


R :Internal Pull-Up Resistance (80k Ω)

C :External Capacitance

$$V_{C}=V_{min} (1-e^{Tc})$$

$$Tc = -CR \times \log \left(1 - \frac{Vc}{V_{min}}\right)$$

0.1 (ms)
$$\leq -C \times 80 (k \Omega) \times log(1 - \frac{0.45 (V)}{1.1 (V)}$$
)



∴ C≥1.83nF

Therefore, in order to be executed auto clear function exactly, the capacitance more than this numerical value should be connected.



■ ABSOLUTE MAXIMUM RATINGS

(Ta=25°C)

PARAMETER	SYMBOL.	RATINGS	UNIT
Supply Voltage	V _{DD}	-0.3 ~ +3.0	٧
Input Voltage	VIN	Vss-0.3 ~ VDD+0.3	٧
Operating Temperature	Topr	- 25 ~ + 75	Ç
Storage Temperature	Tstg	- 40 ~ + 125	Ç

■ ELECTRICAL CHARACTERISTICS

(V_{DD}=1. 2V, Ta=25°C)

PARAMETER	SYMBOL.	CONDITIONS	CONDITIONS			MAX.	UNIT	NOTE
Operating Voltage	V _{DD}	fosc=455kl	1. 1		1. 8	٧		
Operating Current	I DD	fosc=455kl	fosc=455kHz			0. 6	mA	
Stand-by Current	Ist					1.0	μΑ	
"H" Input Voltage	VIH	Each EC, 0F	PT Terminal	0. 7V _{DD}		V _{DD}	٧	
"L" Input Voltage	Vil	Each EC, OF	PT Terminal		-	0. 3V _{DD}	٧	
Oscillation Frequency	fosc	X _{IN} , X _{OUT} Terminal			393 440 455 480		kHz	3
Output Current(1)	loui	VoL=0. 3V	RCO Terminal	0. 1	0. 3		mA	
output ourrent(1)	1он1	V₀н=0. 9V		- 2	- 4			
Output Current(2)	l _{OL2}	Vor=0. 9V	Each KS Terminal	0. 5	1. 0		mΑ	
Feedback Resistance	Rf	XIN=VDD			1		MΩ	
	Rit	OPT Terminal			100			
Pull-up Resistance	R ₁₂	Each EC Terminal			100		kΩ	
	Rтз	AC Terminal			80			
Pull-down Resistance	R ₁₄	TEST Termi	TEST Terminal		200		kΩ	


Note 3) The oscillation frequency is turned by depending the ceramic resonator.

The carrier frequency is the masked ROM option , therefore the ceramic resonator should be designated.




■APPLICATION CIRCUIT

(1) Normal Key





(2) Double Press Key



NJU6014

MEMO

[CAUTION]
The specifications on this databook are only given for information , without any guarantee as regards either mistakes or omissions. The application circuits in this databook are described only to show representative usages of the product and not intended for the guarantee or permission of any right including the industrial rights.